2022

MATHEMATICS — HONOURS

Paper: CC-3

(Real Analysis)

Full Marks: 65

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

N, R, Q denote the set of all natural, real and rational nos.

Notations and symbols have their usual meanings.

1. Answer all the following multiple choice questions. For each question 1 mark for choosing correct option and 1 mark for justification.

(a) Let
$$A = [5, 6)$$
 and $B = \left\{1 + \frac{1}{n} : n \in \mathbb{N}\right\}$. Let $S = \{x - y : x \in A, y \in B\}$. Then Inf S is

(b) Let
$$S = \left\{ \frac{1}{n} : n \in \mathbb{N} \right\} \cup \{0, 2\}$$
 and $T = \bigcup_{n=1}^{\infty} \left(2 - \frac{1}{n+1}, 3 + \frac{1}{n} \right)$. Then $S \cap (\mathbb{R} - T)$ is

(i) open

- (ii) closed
- (iii) both open and closed
- (iv) neither open nor closed.

(c) Let
$$A = \{[x] : 0 < x < 100\}$$
 and $B = \{2^i : i \in \mathbb{Z}\}$. Then $A \cup B$ is

(i) uncountable

(ii) enumerable

(iii) finite

- (iv) empty.
- ([x] denotes the largest integer not exceeding x)

(d)
$$\left\{ \frac{5^n}{n!} + \left(\frac{3}{5} \right)^n \right\}$$

- (i) converges to 1
- (ii) converges to 0
- (iii) diverges to +∞
- (iv) converges to 3.

- (e) Number of subsequential limits of $\left\{ \frac{(-1)^{2n} \sin \frac{n\pi}{3}}{n^5} \right\}$ is
 - (i) 1

(iii) 3

- (iv) 5.
- (f) Let S be a bounded set of real numbers such that S does not have a least element. Then
 - (i) Inf $S = -\infty$

- (ii) each point of S is an isolated point
- (iii) S has at least one limit point (iv) S fails to have any limit point.
- (g) Let S be a non-empty subset of \mathbb{R} , which of the following statement is true?
 - (i) If x is a boundary pt. of S then $x \in S$.
 - (ii) If x is a limit pt. of S then $x \in S$.
 - (iii) If x is an isolated pt. of S then $x \in S$.
 - (iv) If x is an exterior point of S then $x \in S$.
- (h) Let $\{x_n\}_{n=1}^{\infty} = \{\sqrt{1}, -\sqrt{1}, \sqrt{2}, -\sqrt{2}, \sqrt{3}, -\sqrt{3}, ...\}$ and $z_n = \frac{1}{n} \sum_{i=1}^{n} x_i, \forall n \in \mathbb{N}$. Then $\{z_n\}_{n=1}^{\infty}$ is
 - (i) unbounded above
- (ii) monotonic
- (iii) bounded but not convergent (iv) convergent.
- (i) Let $A = \left\{ \frac{2}{z+1} : z \in (-1,1) \right\}$. Then $A^d \setminus A$ is
 - (i) ¢

(ii) $(1, \infty)$

(iii) {1}

- (iv) none of these.
- (j) If $\{a_n\}_{n=1}^{\infty}$ is a monotone increasing sequence of real numbers and bounded above then the

sequence
$$\left\{\frac{\sum_{i=1}^{n} a_i}{n}\right\}_{n=1}^{\infty}$$
 is

- (i) bounded but not convergent (ii) always convergent
- (iii) always divergent
- (iv) none of these.

Unit - 1

Answer any four questions.

- 2. State Archimedean property of real numbers. Use it to show that between any two distinct real numbers there are infinitely many rational numbers.
- 3. Prove or disprove the following statements:
 - (a) If S, T are non-empty bounded sets of real numbers and $V = \{xy : x \in S, y \in T\}$, then $SupV = SupS \times SupT$.
 - (b) The set $A = \{x \in \mathbb{R} : x + y \in \mathbb{Q} \text{ for some } y \in \mathbb{R}\}$ is countable.
- 4. (a) Show that union of two enumerable sets of real numbers is enumerable.
 - (b) Prove or disprove: If S is a set of real numbers with its derived set consisting of exactly one point, then S must be bounded.

 3+2
- 5. (a) Prove or disprove: Every bounded infinite subset of R has an interior point.
 - (b) Let a and b be two irrationals such that a < b. Show that there is a rational number q such that a < q < b.
- 6. (a) Define closed set. Give an example of a closed set which is non-empty and has no limit point in R.
 - (b) Prove or disprove : $\mathbb{R} \setminus \{x \in \mathbb{R} : \sin x = 0\}$ is an open set. (1+1)+3
- 7. Prove that the derived set of any set in \mathbb{R} is a closed set. Hence, show that $\{x \in \mathbb{R} : x^2 3x + 2 \le 0\}$ is a closed set.
- 8. (a) Prove or disprove: The set A of all open intervals with irrational end points is an uncountable set.
 - (b) Prove or disprove: Let A and B be any two subsets of \mathbb{R} . If $\inf(A) \subseteq \inf(B)$, $A^d \subseteq B^d$ and $\overline{A} \subseteq \overline{B}$ then $A \subseteq B$.

Unit - 2

Answer any four questions.

- 9. 'l' is a limit point of a set $S \subseteq \mathbb{R}$ if and only if there exists a sequence of distinct elements of S converging to 'l'. Establish this result.
- 10. Show that every monotonically increasing sequence which is bounded above is convergent.

Use this result to show that $\{x_n\}$ is convergent where $x_1 = \sqrt{13}$ and $x_n = \sqrt{13 + x_{n-1}} \ \forall n \ge 2$. 3+2

11. (a) Let $\{x_n\}$, $\{y_n\}$ be convergent sequence of real numbers such that $x_n \le y_n \ \forall n \in \mathbb{N}$. Prove that $\lim_{x \to \infty} x_n \le \lim_{x \to \infty} y_n$.

Please Turn Over

(b) Prove that
$$\left\{ \frac{1}{n^2} + \frac{1}{(n+1)^2} + ... + \frac{1}{(2n)^2} \right\}$$
 converges to zero.

- 12. (a) Let $\{a_n\}$ be a sequence of positive real numbers such that $\lim_{n\to\infty} \frac{a_{n+1}}{a_n} = l < 1$. Show that $\lim_{n\to\infty} a_n = 0$.
 - (b) Prove or disprove: If $\{x_n\}$ and $\{y_n\}$ are sequences of real numbers such that $\{x_ny_n\}$ is convergent, then both $\{x_n\}$ and $\{y_n\}$ are bounded.
- 13. (a) Prove or disprove: A sequence of irrational numbers can not have a rational limit.

(b) Find the limit, if exists, of the sequence
$$\left\{\frac{x^n}{n!}\right\}_{n=1}^{\infty}$$
 where $x \in \mathbb{R}$.

5

- 14. State and prove Cauchy's general principle of convergence.
- 15. (a) Prove or disprove: Let $\{a_n\}_{n=1}^{\infty}$ be a bounded sequence of real numbers and $\lambda = Sup\{a_n : n \in \mathbb{N}\}$. Then there is a subsequence $\{a_{n_k}\}_{k=1}^{\infty}$ of $\{a_n\}_{n=1}^{\infty}$ such that $\lim_{k \to \infty} a_{n_k} = \lambda$.

(b) If
$$|a_{n+1} - a_n| < \left(\frac{1}{2}\right)^n$$
 for all $n \in \mathbb{N}$, show that $\{a_n\}_{n=1}^{\infty}$ is a Cauchy sequence.

Unit - 3

Answer any one question.

16. State and prove Leibnitz test. Using it show that
$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n}$$
 is convergent.

- 17. (a) State Cauchy's *n*-th root test. Use it to show that the series $\frac{1^3}{3} + \frac{2^3}{3^2} + 1 + \frac{4^3}{3^4} + \dots + \frac{n^3}{3^n} + \dots$ is convergent.
 - (b) Show that the series $\frac{1}{5} + \frac{1}{7} + \frac{1}{5^2} + \frac{1}{7^2} + \frac{1}{5^3} + \frac{1}{7^3} + \dots + \frac{1}{5^n} + \frac{1}{7^n} + \dots$ is convergent. (1+2)+2